

## Temperature and humidity data logger LOG210 31.1058

### Highlights:

- For monitoring temperature and humidity
- Memory for 100.000 records
- MAX/MIN/AVG function, dew Point, HI/LO alarm
- USB interface with automatic PDF export
- Free software for configuration optional



## Technical data

Delivery contents	Data logger, factory certificate, wall mounting holder, battery, instruction manual
Measuring range humidity	0...100 %
Measuring range temperature	-40...+70° C
Material	Plastic
Assembling	Wall mounting
Power consumption	Batteries
Batteries included	yes
Batteries	1 x 3.6 V 1/2 AA
Dimensions	(L) 43 (49) x (B) 21 (32) x (H) 92 (98) mm
Weight	52 g

## Function

- For the control of temperature (precision depending on the measuring range from  $\pm 0,5$  °C) and humidity (precision depending on the measuring range from  $\pm 3\%$ )
- With status and alarm LED
- Memory for 100.000 records
- MAX/MIN/AVG function, dew Point, time marker function
- Usable without software (pre-programmed 5 minutes interval)
- Automatic output as PDF-file, optional configuration software download
- Selectable storage interval (10 sec. up to 24 hrs.)
- HI/LO alarm, Motion sensor for shock recording e.g. change of location or door and window opening

- *USB Interface*
- *With wall mounting holder*
- *Factory certificate included*
- *Made in Germany*